
Bibliography

- Abdallah, S. & Plumbley, M. (2006), 'Unsupervised analysis of polyphonic music using sparse coding', *IEEE Transactions on Neural Networks* **17**(1), 179–196.
- Abdallah, S., Rhodes, C., Sandler, M. & Casey, M. (2006), 'Using duration models to reduce fragmentation in audio segmentation', *Machine Learning* **65**, 485–515.
- Aucouturier, J.-J., Defreville, B. & Pachet, F. (2006), 'The bag-of-frames approach to audio pattern recognition: A sufficient model for urban soundscapes but not for polyphonic music', *Journal of the Acoustic Society of America* **122**(2), 881–891.
- Bent, M. (2010), Isorhythm, in 'Grove Music Online, Oxford Music Online', Oxford University Press, Oxford, UK. Accessed: 19 Apr. 2010.
URL: <http://www.oxfordmusiconline.com/subscriber/article/grove/music/13950>
- Blackwell, A. & Collins, N. (2005), The programming language as a musical instrument, in 'Proceedings of PPIG05 (Psychology of Programming Interest Group)'.
URL: <http://www.informatics.sussex.ac.uk/users/nc81/research/proglangasmusicinstr.pdf>
- Blackwell, T. M. (2007), Swarming and music, in E. Miranda & A. Biles, eds, 'Evolutionary Computer Music', Springer Verlag.
- Bonabeau, E., Dorigo, M. & Theraulaz, G. (1999), *Swarm Intelligence: From Natural to Artificial Systems*, Oxford University Press, Oxford.
- Byrd, D. (2008), A Similarity Scale for Content-Based Music IR. Available online.
URL: <http://www.informatics.indiana.edu/donbyrd/MusicSimilarityScale.html>
- Cambouropoulos, E. (2001), The local boundary detection model (LBDM) and its application in the study of expressive timing, in 'Proceedings of the International Computer Music Conference', ICMA, San Francisco, pp. 17–22.
URL: <http://www.ofai.at/cgi-bin/get-tr?paper=oefai-tr-2001-11.pdf>
- Casey, M. (2009), Soundspotting: A New Kind of Process?, in R. Dean, ed., 'The Oxford Handbook of Computer Music', Oxford University Press.
- Casey, M., Veltkamp, R., Goto, M., Leman, M., Rhodes, C. & Slaney, M. (2008), 'Content-Based Music Information Retrieval: Current Directions and Future Challenges', *Proceedings of the IEEE* **96**(4), 668–695.
- Cemgil, A. (2004), Bayesian Music Transcription, PhD thesis, Radboud Universiteit Nijmegen.
- Chowning, J. M. (1973), 'The synthesis of complex audio spectra by means of frequency modulation', *Journal of the Audio Engineering Society* **21**(7), 526–534.
- Collins, N. (2008), 'The analysis of generative music programs', *Organised Sound* **13**(03), 237–248.
- Collins, N. (2009), 'Musical form and algorithmic composition', *Contemporary Music Review* **28**(1), 103–114.
- Collins, N., McLean, A., Rohrhuber, J. & Ward, A. (2003), 'Live coding in laptop performance', *Organised Sound* **8**(3), 321–330.
- Cope, D. (1991), *Computers and Musical Style*, Oxford University Press, Oxford.
- Cope, D. (1996), *Experiments in Musical Intelligence*, A-R Editions, Madison, WI.
- Cope, D. (2001), *Virtual Music: Computer Synthesis of Musical Style*, MIT Press.

- Craft, A. J. D., Wiggins, G. A. & Crawford, T. (2007), How many beans make five? The consensus problem in music-genre classification and a new evaluation method for single-genre categorisation systems, in 'Eighth International Symposium on Music Information Retrieval', Vienna, pp. 73–76.
- Davies, M. E. P. & Plumley, M. D. (2007), 'Context-dependent beat tracking of musical audio', *IEEE Transactions on Audio, Speech and Language Processing* **15**(3), 1009–1020.
- Dennett, D. (1991), *Consciousness explained*, Little, Brown and Co., Boston.
- Dixon, S. (2006), Onset Detection Revisited, in 'Ninth International Conference on Digital Audio Effects', pp. 133–137.
- Donaldson, J. & Lamere, P. (2009), 'Using Visualizations for Music Discovery', Tutorial at Tenth ISMIR. Slides.
URL: <http://www.slideshare.net/plamere/using-visualizations-for-music-discovery>
- Fauvel, J., Flood, R. & Wilson, R. (2003), *Music and Mathematics: From Pythagoras to Fractals*, Oxford University Press.
- Goto, M. (2006), 'A chorus section detection method for musical audio signals and its application to a music listening station', *IEEE Transaction on Audio, Speech and Language Processing* **14**(5), 1783–1794.
- Goto, M. & Goto, T. (2005), Musicream: New music playback interface for streaming, sticking, sorting and recalling musical pieces, in 'Sixth International Symposium on Music Information Retrieval', London, pp. 404–411.
- Griffiths, P. (1995), *Modern Music and After: Directions Since 1945*, Oxford University Press, Oxford, UK.
- Harley, J. (2009), Computational approaches to composition of notated instrumental music: Xenakis and the other pioneers, in R. T. Dean, ed., 'The Oxford Handbook of Computer Music', Oxford University Press, Oxford, UK, chapter 5, pp. 109–132.
- Huron, D. (2006), *Sweet Anticipation: Music and the Psychology of Expectation*, MIT Press, Cambridge, MA.
- Johnson-Laird, P. N. (1988), *The Computer and the Mind: An Introduction to Cognitive Science*, Harvard University Press, Cambridge, MA.
- Johnson-Laird, P. N. (1991), Jazz improvisation: A theory at the computational level, in P. Howell, R. West & I. Cross, eds, 'Representing Musical Structure', Academic Press, London, pp. 291–325.
- Klapuri, A. (1999), Sound onset detection by applying psychoacoustic knowledge, in 'IEEE International Conference on Audio, Speech and Signal Processing', pp. 3089–3092.
- Krumhansl, C. L. (1990), *Cognitive Foundations of Musical Pitch*, Oxford University Press, Oxford.
- Krumhansl, C. L. & Kessler, E. J. (1982), 'Tracing the dynamic changes in perceived tonal organisation in a spatial representation of musical keys', *Psychological Review* **89**(4), 334–368.
- Lerdahl, F. (1992), 'Cognitive constraints on compositional systems', *Contemporary Music Review* **6**, 97–121.
- Lerdahl, F. & Jackendoff, R. (1983), *A Generative Theory of Tonal Music*, The MIT Press, Cambridge, MA.
- Levy, M. & Sandler, M. (2006), Lightweight measures for timbral similarity of musical audio, in 'First ACM workshop on Audio and Music Computing Multimedia', Santa Barbara, pp. 27–36.

- London, J. (2004), *Hearing in time: psychological aspects of music metre*, Oxford University Press, Oxford, UK.
- Magas, M., Casey, M. & Rhodes, C. (2008), mHashup: fast visual music discovery via locality sensitive hashing, in 'ACM SIGGRAPH 2008 New Tech Demos'.
- Mardirossian, A. & Chew, E. (2008), 'Visualizing music: Tonal progressions and distributions', *Proceedings of the 8th International Conference on Music Information Retrieval*.
URL: <http://www.scientificcommons.org/42491827>
- Marr, D. (1982), *Vision*, W. H. Freeman, San Francisco.
- McCartney, J. (2002), 'Rethinking the computer music language: Supercollider', *Computer Music Journal* **26**(4), 61–68.
- Miranda, E. R. (2002), *Computer Sound Design: Synthesis techniques and programming*, Music Technology Series, second edn, Focal Press, Oxford.
- Müller, M. & Clausen, M. (2007), Transposition-Invariant Self-Similarity Matrices, in 'Eighth International Symposium on Music Information Retrieval', pp. 47–50.
- Narmour, E. (1990), *The Analysis and Cognition of Basic Melodic Structures: The Implication-realisation Model*, University of Chicago Press, Chicago.
- Newell, A. & Simon, H. A. (1976), 'Computer science as empirical enquiry: Symbols and search', *Communications of the ACM* **19**(3), 113–126.
- Pachet, F. & Cazaly, D. (2000), A Taxonomy of Musical Genres, in 'Content-Based Multimedia Information Access Conference'.
- Pampalk, E. (2001), *Islands of Music: Analysis, Organization and Visualization of Music Archives*, PhD thesis, Vienna University of Technology.
URL: <http://www.ofai.at/elias.pampalk/music/thesis.html>
- Pampalk, E., Flexer, A. & Widmer, G. (2005), Improvements of audio-based music similarity and genre classification, in 'Sixth International Symposium on Music Information Retrieval', London, pp. 628–633.
- Parncutt, R. (1994), 'A perceptual model of pulse salience and metrical accent in musical rhythms', *Music Perception* **11**, 409–464.
- Pearce, M. T., Meredith, D. & Wiggins, G. A. (2002), 'Motivations and methodologies for automation of the compositional process', *Musicae Scientiae* **6**(2), 119–147.
URL: <http://www.titanmusic.com/papers/public/mussci02.pdf>
- Pearce, M. T. & Wiggins, G. A. (2006), 'Expectation in melody: The influence of context and learning', *Music Perception* **23**(5), 377–405.
URL: <http://www.doc.gold.ac.uk/mas01mtp/papers/PearceWigginsMP06.pdf>
- Puckette, M. (1988), The patcher, in 'Proceedings of the International Computer Music Conference 1988', Köln, Germany, pp. 420–429.
- Puckette, M. (2002), 'Max at seventeen', *Computer Music Journal* **26**(4), 31–43.
- Pylyshyn, Z. (1989), Computing in cognitive science, in M. I. Posner, ed., 'Foundations of Cognitive Science', MIT Press, Cambridge, MA, pp. 51–91.
- Resnick, M. (1997), *Turtles, Termites, and Traffic Jams: Explorations in Massively Parallel Microworlds*, MIT Press.
- Rhodes, C. & Casey, M. (2007), Algorithms for determining and labelling approximate hierarchical self-similarity, in 'Eighth International Symposium on Music Information Retrieval', pp. 41–46.
- Rhodes, C., Lewis, D. & Müllensiefen, D. (2007), Bayesian Model Selection for Harmonic Labelling, in 'Mathematics and Computation in Music', number 37 in 'CICS', Berlin: Springer-Verlag.

- Rowe, R. (2001), *Machine Musicianship*, The MIT Press, Cambridge, MA, USA.
- Schaeffer, P. (1952), *À la recherche d'une musique concrète*, Éditions du Seuil, Paris, FR.
- Schellenberg, E. G. (1997), 'Simplifying the implication-realisation model of melodic expectancy', *Music Perception* **14**(3), 295–318.
- Scruton, R. (1997), *The Aesthetics of Music*, Oxford University Press.
- Steedman, M. (1996), The blues and the abstract truth: Music and mental models, in A. Garnham & J. Oakhill, eds, 'Mental Models In Cognitive Science', Erlbaum, Mahwah, NJ, pp. 305–318.
URL: <ftp://ftp.cogsci.ed.ac.uk/pub/steedman/music/batat.ps.gz>
- Taube, H. L. (2004), *Notes from the Metalevel: Introduction to Algorithmic Music Composition*, Taylor & Francis Group, London, UK.
- Temperley, D. (2001a), *The Cognition of Basic Musical Structures*, MIT Press, Cambridge, MA.
- Temperley, D. (2001b), *The Cognition of Basic Musical Structures*, MIT Press, Cambridge, MA.
- Tzanetakis, G. & Cook, P. (2002), 'Musical genre classification of audio signals', *IEEE Transactions on Speech and Audio Processing* pp. 293–302.
- Wang, A. (2003), An Industrial Strength Audio Search Algorithm, in 'Fourth International Symposium on Music Information Retrieval', Baltimore, pp. 7–13.
- Wang, A. (2006), 'The Shazam music recognition service', *Communications of the ACM* **49**(8), 44–48.
- Whitman, B. & Rifkin, R. M. (2002), Musical query-by-description as a multiclass learning problem, in 'IEEE Workshop on Multimedia Signal Processing', pp. 153–156.
- Wiggins, G. A. (2006), 'A preliminary framework for description, analysis and comparison of creative systems', *Journal of Knowledge-Based Systems* **19**(7), 449–458.
- Wiggins, G. A., Miranda, E., Smaill, A. & Harris, M. (1993), 'A framework for the evaluation of music representation systems', *Computer Music Journal* **17**(3), 31–42.
URL: <http://www.soi.city.ac.uk/geraint/papers/CMJ93.pdf>
- Wu, X. & Li, M. (2007), A QBSH system based on a three-level melody representation, in 'Eighth International Symposium on Music Information Retrieval', Vienna.
- Wulfhorst, R. D., Nakayama, L. & Vicari, R. M. (2003), A multiagent approach for musical interactive systems, in 'AAMAS 2003: Second International Joint Conference on Autonomous Agents & Multiagent Systems', ACM, pp. 584–591.
- Xenakis, I. (1992), *Formalised Music: Thought and Mathematical Composition*, Pendragon Press, Hillsdale, NY, USA.